


KALDEWEI

EASY
FLAT
FLEXIBLE


FLOOR-LEVEL SHOWERS BY KALDEWEI.





EASY

Floor-level showers are easier to install than you think. We offer the right installation solution for almost any situation: quick to install and optimally matched to the KALDEWEI shower surfaces.



FLAT

High in standards but flat in height – that's what the combination of floor-level shower surfaces and innovative waste fittings stands for.



FLEXIBLE

A large selection of colours, surfaces, sizes and installation products ensures that KALDEWEI always has the right solution for any customer – and for the relevant installation situation.

THE ULTIMATE IN SHOWERING: WALK-IN.

The standards of modern bathroom design are high: Shower solutions today can be floor-level, easy to install, and integrate flexibly in different room situations. This is a trend which KALDEWEI has helped to shape and continues to advance. It is for this purpose


that we have developed completely integrated systems. These innovative combinations of shower surfaces, waste fittings and installation systems do not just meet standards – they set them: with excellent design, durability and straightforward installation.

AROUND
5,000 COMBINATIONS

20 dimensions
17 colours
5 design covers
3 surfaces



Design cover, brushed stainless steel



Design cover, polished stainless steel



Design cover, polished gold



Design cover, brushed rose gold



Design cover, powder-coated alpine white



FACTORY PRE-ASSEMBLED. SIMPLE AND FAST INSTALLATION.

The 4-in-1 system consisting of shower surface, sealing system, sloping support element and channel eliminates multiple installation steps and the installation frame. For the easiest installation of floor-level shower surfaces imaginable.



SHOWER SURFACE

Made of superior KALDEWEI steel enamel, the material is known and appreciated for its excellent qualities, such as strength, toughness, robustness, hygiene and exceptional cleaning properties. The seamless shower surface reliably protects against water damage.

KALDEWEI steel enamel

ALL-ROUND SEALING TAPE

The ultra thin and flexible material integrates easily and securely into the bathroom's composite sealing, complying with DIN 18534.



easy & secure

impermeable & sturdy

SUPPORT ELEMENT


The sturdy support element with its integrated slope of 2% ensures optimal and safe water run-off without the need to make an elaborate sloping screed. Cutouts in the support element for the waste channel reduce the overall height of the system.




flat & ultraflat

LOW HEIGHTS


NEXSYS is the optimal solution for floor-level shower surfaces in floors with limited installation depth. Waste channels are available in a choice of two designs: ultra flat (fitting height of 86 - 100 mm depending on the NEXSYS size) or with water seal height 50 mm to DIN 1253-1 (106 - 190 mm depending on the NEXSYS size).



SIMPLY COMPLETE. SIMPLY INGENIOUS.
CHANNEL AND BOARD MEET SHOWER SURFACE.



channel design
flush fitting
level standing area
complete system



seamless surface
robust
easy to clean
durable

= NEXSYS

NEXSYS – a completely revolutionary concept; there is no quicker and easier way to fit a floor-level shower surface with waste channel. Because NEXSYS is not simply a shower surface but rather a complete, installation-ready system. The compo-

nents are already connected and can be installed immediately – including integrated waste channel and sturdy sloping support element. Therefore, to describe NEXSYS as a small revolution would be an understatement.

UNIVERSAL USE

	FLEXIBLE INSTALLATION	WALL INSTALLATION	CORNER INSTALLATION LEFT / RIGHT	NICHE INSTALLATION	FRONT WALL	INSTALLATION FLUSH TO FRONT WALL
INSTALLATION AT FLOOR -LEVEL						
NEXSYS	✓	✓	✓	✓		

*Can be implemented with the KALDEWEI products supplied.

INSTALLED IN 4 STEPS.




1 Position the waste outlet in the level screed cutout (nominal size of the shower surface + 20 mm) and connect in the same way as conventional shower surfaces.



2 For height adjustment, create a screed base or – without need for drying – use a rigid foam substructure. Refer to the installation instructions or use our interactive online planning aid to determine the correct height.



3 Position the NEXSYS system and connect the shower channel with the waste outlet. Next, integrate the pre-assembled sealing strips into the composite sealing and finish the tiling.



4 Finally, fit the design cover – done.

For detailed steps refer to the enclosed installation instructions or check online at www.kaldewei.com

AS UNIQUE AS YOUR DESIRES:
OUR SURFACE AND COLOUR OPTIONS.

The perfect bathroom means different things to different people. Our colour palette therefore offers great freedom of design.

This allows you to design the bathroom based entirely on your customer's ideas. Creating for them a place of pure comfort and wellbeing.

ALPINE WHITE



alpine white

SANITARY COLOURS



bahamabeige



manhattan



pergamon



black

The collection of matt colours, combined with professional surface technology, underlines the special character of our shower surfaces, setting new standards in sensory awareness and quality. In keeping with the

current trends in tiling, the colours of the flush-fit showers in the COORDINATED COLOURS COLLECTION are perfectly coordinated to the tile colours available in the shops.


COORDINATED COLOURS COLLECTION



alpine white matt



seashell cream matt



prairie beige matt



pearl grey matt



oyster grey matt




pasadena grey matt




catania grey matt



city-anthracite matt



maple brown matt



woodberry brown matt



ancona brown matt




lava black matt

CAN BE COMBINED AT WILL
WITH 5 DESIGN COVERS.

As if aesthetic perfection was not enough, the NEXSYS offers almost infinite possibilities of variation. Five different design covers alone can be combined with a choice of 17 colours for the shower surface.

Add to this one of the three surface finishes and enhance your bathroom with a NEXSYS of unique customised appeal.

COVER DESIGN



brushed stainless steel



polished stainless steel



polished gold




brushed rose gold




powder-coated
alpine white

SURFACE CHOICE



KALDEVEI steel enamel



SECURE PLUS




EASY-CLEAN FINISH

PRODUCT CONFIGURATOR

Customise a bathtub, shower surface or washbasin to meet your own requirements and select from different models, sizes, colours and special features.


Plan and create your personal bathroom solution with KALDEVEI Digital Services at www.kaldevei.com.



DIMENSIONS

MODEL NO.		2610	2611	2612	2613	2614	2615	2616	2617	2618	2619
External length	a1	800	800	900	800	900	1000	900	800	900	1000
External width	b1	800	900	900	1000	1000	1000	1100	1200	1200	1200
Height with support	c10	44	46	46	48	48	48	50	52	52	52
Total height, KA 4121	q1	min. 104	min. 106	min. 106	min. 108	min. 108	min. 108	min. 110	min. 112	min. 112	min. 112
		max. 174	max. 176	max. 176	max. 178	max. 178	max. 178	max. 180	max. 182	max. 182	max. 182
Total height, KA 4122	q1	84	86	86	88	88	88	90	92	92	92

MODEL NO.		2620	2621	2622	2623	2624	2625	2626	2627	2628	2629
External length	a1	1200	900	800	900	1000	800	900	1000	750	900
External width	b1	1200	1300	1400	1400	1400	1600	1600	1600	1700	1700
Height with support	c10	52	54	56	56	56	60	60	60	62	62
Total height, KA 4121	q1	min. 112	min. 114	min. 116	min. 116	min. 116	min. 120	min. 120	min. 120	min. 122	min. 122
		max. 182	max. 184	max. 186	max. 186	max. 186	max. 190	max. 190	max. 190	max. 192	max. 192
Total height, KA 4122	q1	92	94	96	96	96	100	100	100	102	102



NEXSYS: from 80 x 80 cm to 90 x 170 cm

REQUIRED ACCESSORIES

		MODEL NO./PRODUCT CODE
COLOUR OF DESIGN COVER		brushed stainless steel, polished stainless steel, polished gold, brushed rose gold, powder-coated alpine white
For shower surface length	750 mm	4131
	800 mm	4132
	900 mm	4133
	1000 mm	4134
	1200 mm	4136
NEXSYS WASTE CHANNELS incl. hair catcher		
water seal height 50 mm		KA4121
ultra flat, water seal height 25 mm		KA4122
CUT PROTECTION TAPE		
For shower surfaces	≤ 1000 x 1200 mm	6897 2057 0000
	> 1000 x 1200 mm	6897 2058 0000

OPTIONAL ACCESSORIES


		PRODUCT CODE
NEXSYS SOUND INSULATION consisting of: sound insulation mat (10 mm thick), sound absorbing pad, PE film		
Für Duschflächen	≤ 1000 x 1200 mm	6876 7618 0000
	> 1000 x 1200 mm	6876 7619 0000



NEXSYS meets the stringent sound insulation requirements* of DIN 4109, SIA 181, ÖKONORM B8115-2 and SST III of VDI 4100

*If the NEXSYS soundproofing set is installed correctly according to the installation instructions.





EASY INSTALLATION

FASTER THAN YOU THINK, EASIER THAN YOU EXPECT.

Strong product solutions effectively make the decision quick and easy for the customer and installer. KALDEWEI installation solutions offer sophistication in every detail,

with intuitive installation steps and clear instructions that guarantee easy and secure installation. Developed by KALDEWEI with installers for installers.

SERIOUSLY IMPRESSIVE –
THE EASY INSTALLATION.

How to get a floor-level shower in quick and straightforward steps: The KALDEWEI installation systems make light work of most installation situations. Be it under-structure, shower surface or sealing: all components

are perfectly matched – making the installation clear and straightforward. Fitting a shower is convenient and effortless.



INSTALLATION SYSTEM

We offer you the right system for almost any installation situation. Everything from one source – everything perfectly matched.



SHOWER SURFACE

The shower surface in the required size is placed onto the assembled installation system. Its integrated slope ensures perfect drainage – reducing complex screed work and tiling.



SEALING, SOUND INSULATION & MORE

The KALDEWEI PRO FESSIONAL range lets you customise the installation of the shower surface to suit the client's requirements. The special waste fittings, SILENCE PLUS sound insulation solutions, sealing systems and more offer complete peace of mind.

FOR ALMOST EVERY INSTALLATION SITUATION,
THERE'S A SOLUTION: OURS.

INSTALLATION SYSTEMS FOR SHOWER TRAYS AND
ENAMELLED SHOWER SURFACES.

INSTALLATION SYSTEM FRAME FLOOR-LEVEL	SHOWER TRAY FOOT FRAME		POLYSTYRENE SUPPORT		
	FR 5300 FLEX / FR 5300 FLEX PLUS	FR 5350 XETIS	LOW PROFILE SUPPORT (CAYONPLAN)	LOW PROFILE SUPPORT (-5 Version)	POLYSTYRENE- SUPPORT (-2 Version)

INSTALLATION AT FLOOR -LEVEL

INSTALLATION CLOSE TO FLOOR -LEVEL

RAISED INSTALLATION

	FLEXIBLE INSTALLATION	WALL INSTALLATION	CORNER INSTALLATION LEFT / RIGHT	NICHE INSTALLATION	FRONT WALL	INSTALLATION FLUSH TO FRONT WALL
INSTALLATION AT FLOOR -LEVEL						
Sealing kit FLOOR-LEVEL	✓	✓	✓	✓	✓	Special installation situation*
ESR FLOOR-LEVEL	✓	✓	✓	✓	✓	Special installation situation*
NEXSYS	✓	✓	✓	✓		

* Can be implemented with the KALDEWEI products supplied.

GET THE BEST IDEAS UNDER THE SHOWER.

ESR FLOOR-LEVEL INSTALLATION SYSTEM – THE RELIABLE SYSTEM.



The installation system frame is an all-in-one solution for floor-level installation. Each full pack contains all relevant components and installation aids. Select the right waste fitting to suit your installation situation.

- Maximum protection against moisture penetration through integrated sealing system incl. leakproof connection
- The KALDEWEI 3D flex foot system adapts to any floor situation
- Shower can be adjusted



Installation system frame **ESR floor-level** 100 x 100 cm

EASY – FLAT – FLEXIBLE

The leitmotif of our shower surfaces is best expressed by the ESR FLOOR-LEVEL. It's all in the name: designed to be installed fully flush to floor, the ESR coordinates

perfectly with the KALDEWEI shower surfaces. The ESR FLOOR-LEVEL improves on its predecessor in many aspects.



EASY

- Pre-assembled: Fully pre-assembled, the solid aluminium frame makes a perfect fit for the shower surface, eliminating the need for cut-to-size assembly on site.
- Complete system: All relevant components are included and perfectly matched. Sound insulation tape and foot units are pre-assembled to the frame. The system is supplied with recess aids and formwork panels for the screed recesses, floor fasteners to secure the support in place, the sealing kit and tiling aids.

FLAT

- The sound-insulated feet can be adjusted from 49 to 164 mm. No special tools are needed for adjustments.
- New to the range is the optional extension kit for special heights up to 250 mm.

FLEXIBLE

- The 3D leg system can be adjusted both horizontally and vertically, making it easier to work around piping and other obstacles. Not only that but height and levelling on uneven floors can easily be modified at any later point and can now also be fined-tuned from above using the Allen key supplied.
- The ESR FLOOR-LEVEL allows effective coordination of all trades involved in the project: Once the ESR FLOOR-LEVEL is correctly positioned, the screed and tiling can be completed. Waste fitting and shower surface are installed at the very end, protecting the shower surface as long as possible from adverse effects.

CERTIFIED IMPERMEABLE

SEALING KIT FLOOR-LEVEL – The system solution now includes the new KALDEWEI sealing kit. Specially developed for FLOOR-LEVEL sealing, the insulation strip and preformed corner profiles in the kit are applied directly to the frame, not the shower surface. This prevents moisture from penetrating the building structure, while the installation system ensures easy installation.



DOUBLE PROTECTION – The ESR FLOOR-LEVEL is completed by a second, continuous waterproofing layer. Applied directly to the frame profile, it is designed to seal the shower surface to the inside. The supplied fleece butyl sealing strip is simply attached along the predefined edge of the frame. Once in place, it remains flexible and ductile. The result is reliable protection of the area under the shower surface against water penetration.



EXCLUSIVELY AT KALDEWEI: THE ANTI-SEEPAGE CONNECTION – The trusted anti-seepage connection with backflow preventer is integrated in the frame profile between the two waterproofing layers. Connected to the special waste fitting, it channels penetrating shower water directly to the siphon.



INDEPENDENTLY TESTED

The test structure of installed shower surface and ESR FLOOR-LEVEL is also completely impermeable – as confirmed by the renowned test institute Säurefliesen-Vereinigung e.V. (SFV) in a test conducted to the standards required for general appraisal certificates.



Where complete composite sealing of the area under the shower is structurally impossible or difficult, the Austrian ÖNORM B3407 and Fact Sheet 3 of the Austrian Tiling Association require the use of custom designs. Thanks

to the exclusive configuration of the ESR FLOOR-LEVEL – with a sealing kit comprising pre-assembled corner pieces, inner sealing and anti-seepage connection – the system provides complete protection against moisture penetration.

THREE STEPS AND DONE.



- Define the position of the waste siphon
- Screw the feet into the preassembled slot nuts
- Align the ESR frame
- Fit and connect the formwork panels



- Lay screed
- Shorten the formwork panels to screed height



- Apply sealing tape along the inside of the frame, secure corner elements to the corners using mounting adhesive or tanking slurry and integrate into the composite sealing of the bathroom
- Tile
- Apply the butyl sealing tape along the inside of the frame
- Connect the waste siphon
- Place the shower tray in position
- Seal the joint edges (maintenance joint) using suitable flexible sealant



DONE

Installation options:


FLEXIBLE INSTALLATION	WALL INSTALLATION	CORNER INSTALLATION LEFT / RIGHT	NICHE INSTALLATION	FRONT WALL

You can find the relevant installation and mounting instructions on the Internet a Go to film: Installation of ESR II t www.kaldewei.com

FOR PERFECT SHOWERING PLEASURE: THE PERFECTED SHOWER SURFACE INSTALLATION.

Our leg frames have always allowed for clean, precise work. Nonetheless we have continued to optimise them, focusing on simplified installation. So that now, for instance, the height can be adjusted from above. Size markings on the frame do away with the time-consuming

measurement of shower and aluminium profiles. Two models of these optimised leg frames are available: the FR 5300 FLEX and the FR 5300 FLEX PLUS with additional kit.



IMPROVED IN EVERY DETAIL

The size markings on the aluminium profile make it easier to cut the leg frame to the desired size.

FLEX COMES FROM FLEXIBLE

The leg frame can be used for various installation situations: floor-level, on top of floor tiles or for installation on a pedestal. The 3D leg system can be adjusted both horizontally and vertically, allowing for flexible height adjustment from 63 to 164 mm. A separate foot kit can be added on with ease for special heights of 164 mm to 250 mm.


IT'S ALL INCLUDED

Rubber profiles and sound-insulated feet help to insulate against noise. As a bonus, the FR 5300 FLEX PLUS includes a tray-connection insulation strip, additional floor fastening and a 3D foot unit.




PERFECTLY FLEXIBLE. PERFECTLY EASY.

FOOT FRAME FR 5300 FLEX – THE FLEXIBLE SYSTEM.



Only three sizes for the diversity of dimensions of enamelled shower surfaces from KALDEWEI. How is this possible? The frames are simply cut to the required size.

- Suitable for different types of installation
- Available in sizes 90 x 90 cm, 120 x 120 cm, and 150 x 180 cm
- Adjustable to any size of shower surface
- The KALDEWEI 3D flex foot system can be adjusted both horizontally and vertically, and so adapts to any floor situation
- Available for shower surfaces in a variety of sizes and shapes




Shower surface foot frame FR 5300 FLEX


THREE STEPS AND DONE.



- Use the size markings to cut the aluminium profile to the desired size
- Connect profiles and corner joints



- Assemble the foot units to the required installation height and screw into the slot nuts and corner joints
- Attach rubber supporting pads and the rubber holding profiles



- Position and align the shower tray foot frame from above using the Allen key supplied.
- Place the shower tray in position and integrated with the bathroom sealing
- Seal the joint edges (maintenance joint) using suitable flexible sealant




DONE

LOW PROFILE SUPPORT



The low profile support lets you install a KALDEWEI shower on the floor quickly and without fuss. The support stabilises the whole shower surface. Shower and low profile support are supplied as a unit. Perfectly matched and easy to handle on site.

- Complete system for flat installation
- Factory pre-assembled support system
- With central support system for high stability
- Enables a low total height
- Exceeds the stringent sound insulation requirements of DIN 4109, Ö-Norm B 8115-2 and sound insulation level III of VDI 4100
- Compliant waterproofing with the KALDEWEI sealing kit



UNIVERSAL FOR ALL SHOWER SURFACES:



CONOFLAT

SUPERPLAN PLUS

SUPERPLAN

SCONA

CAYONOPLAN

THE FASTEST INSTALLATION SYSTEM FROM KALDEWEI



- Align shower area and draw in drain position



- Create floor recess (screed, wooden floors) and connect drain fitting



- Add low expansion foam adhesive on pre-assembled tray support



- Turn shower surface with tray support over and place on floor, install drain fitting. Seal shower area – perfect with KALDEWEI Flex sealing set.





- Tile and grout bathroom.

DONE.


EASY AND FLEXIBLE – KALDEWEI SEALING SYSTEM

- Extremely flexible and thin waterproofing material.
- Easy-to-apply adhesive strips for bath or shower tray.
- Preformed corner pieces that conform precisely to the geometry of KALDEWEI bathtubs and shower trays. No tedious shaping of the tape to seal corners, no integration of multiple layers into the composite sealing.
- Wall corner and flexible multifunctional corner piece for different wall and floor applications.
- Suitable for almost any standard situation, from corner to niche installation.



CERTIFIED IMPERMEABLE – INDEPENDENTLY TESTED


The test structure of installed shower surface and attached KALDEWEI sealing kit with sealing strip and corner pieces is completely impermeable – as confirmed by the renowned test institute Säurefliesen Vereinigung e.V. (SFV) in a test conducted to the standards required for general appraisal certificates.



SEALING KIT FLOOR-LEVEL – THE COMPLETE SOLUTION

The complete sealing system designed for floor-level KALDEWEI shower surfaces consists of: An insulation strip, 2 corner profiles for wall corners and 4 multifunctional corners. This ensures waterproof installation of shower surfaces in almost all standard installation situations.

Art.-Nr. 6897**2049**0000



KALDEWEI offers a separate sealing kit FLOOR-LEVEL both for the pentagonal and the quadrant shower surfaces.



SILENCE PLUS

KALDEWEI solutions offer peace of mind when it comes to sound insulation. All our installation systems are available with DIN 4109 and VDI 4100 sound insulation certificates. obviously, we can also offer you all the products you need for them.

SHOWER TRAY SOUND-ABSORBING SET DWS

- Complete set consisting of sound insulating strips (WEs 130 and WAs 70) and four sound-absorbing pads

SHOWER TRAY SOUND-ABSORBING SET DW-ADS


- Four sound-absorbing pads 250 x 250mm
- Adhere to back of the shower surface



SEALING KIT FLEX – THE UNIVERSAL SOLUTION

This kit consists of all components needed to seal bathtubs and elevated shower surfaces installed in corners and niches.

Art.-Nr. 6897**2052**0000




INSTALLATION

KALDEWEI installation products perfectly complement the installation frames – with central support systems, where needed.

CENTRAL SUPPORT SYSTEMS 5305 AND 5315

- Support for shower surfaces larger than 90cm
- Flexible wedge system with adapter panels
- MaS 5305 for XETIS, CAYONOPLAN, SUPERPLAN, SUPERPLAN PLUS, SUPERPLAN XXL, DUSCHPLAN, DUSCHPLAN XXL, FONTANA, ARRONDO, CORNEZZA, ZIRKON
- MAS 5315 for CONOFLAT



FLAT INSTALLATION

MAXIMUM EFFICIENCY IN SMALL SPACES.

Flat is in. There is a high demand for a floor-level showering solution in renovations and new build developments. KALDEWEI system solutions come with an extra flat

enamelled shower surface and an innovative waste fitting that provide a good and reliable solution even for renovations with shallow screed.

KA 90 – FLAT SYSTEM – IMPRESSIVE PERFORMANCE.

KALDEWEI has developed a new generation of patented waste fittings. Four different models give you a choice of drainage capacity and total height – for unbeatable performance in combination with any KALDEWEI shower surface with a waste diameter of 90mm. Fitting heights range from as little as 61 mm.

- Minimum height provides maximum drainage capacity
- A variety of different fittings provide the right solution for almost all installation situations
- Unique design incorporating a waste cover flush with the shower surface
- Also available with anti-seepage connection for the ESR floor-level
- Easy to clean
- Optionally with hair catcher



Schematic diagram of the SCONA with ka 90



- KA 90**
with enamelled waste cover
with chrome waste cover
- Fitting height of only 81mm
 - Drainage capacity 0.9l/s (measured to DIN EN 274)
 - Drainage capacity emailliert: 0,65 l/s (measured to DIN EN 274)
 - Horizontal connection
 - Connection diameter of 50 mm
 - Conforms to DIN en 274 with 50mm water seal
 - Total height with SCONA of only 103mm



- KA 90 ULTRA FLAT**
with enamelled waste cover
with chrome waste cover
- Fitting height of only 61 mm
 - Drainage capacity chrom: 0,8 l/s (measured to DIN EN 274)
 - Drainage capacity emailliert: 0,6 l/s (measured to DIN EN 274)
 - Horizontal connection
 - Connection diameter of 40 mm
 - Does not conform to DIN en 274 with 30mm water seal
 - Total height with SCONA of only 83mm



- KA 90 ULTRA FLAT**
with enamelled waste cover
with chrome waste cover
- Fitting height of only 70 mm
 - Drainage capacity chrom: 0,8 l/s (measured to DIN EN 274)
 - Drainage capacity emailliert: 0,5 l/s (measured to DIN EN 274)
 - Horizontal connection
 - Connection diameter of 50 mm
 - Does not conform to DIN en 274 with 30mm water seal
 - Total height with SCONA of only 92mm




- KA 90 VERTICAL**
with enamelled waste cover
with chrome waste cover
- Fitting height of only 81 mm
 - Drainage capacity chrom: 1,4 l/s (measured to DIN EN 274)
 - Drainage capacity emailliert: 1,2 l/s (measured to DIN EN 274)
 - Vertical connection
 - Connection diameter of 50 mm
 - Conforms to DIN en 274 with 50mm water seal
 - Total height vertically (with floor-level waste fitting) of only 49mm

REMARKABLE DESIGN – REMARKABLY THOUGHTFUL. FOR CONOFLAT AND SUPERPLAN PLUS

The patented waste fittings KA120 and KA125 captivate with looks and performance. The flush cover made of KALDEWEI steel enamel appeals with a harmonious design and a high level of comfort. Minimum heights without compromising on drainage capacity.

- Complete set with enamelled waste cover
- Flush cover for maximum comfort underfoot and stability
- Easy to clean
- Optionally with hair catcher
- Drainage capacity conforms to DIN EN 274 (confirmed by TÜV Rheinland)



Integrates harmoniously: the KA 120

The new KA120/125 FLAT variant is a thoughtful complete solution. Designed specifically for low total heights, it is an asset especially in renovations. Not only that but the waste fitting allows for universal and flexible use – only 1 model enables 5 different versions:

- 1 – In combination with ESR FLOOR-LEVEL
 - 2 – In combination with any other KALDEWEI installation system
 - 3 – for outlet DN 40
 - 4 – for outlet DN 50 (includes accessory adapter)
 - 5 – with integrated anti-seepage connection
- Bathroom design and installation has never been easier.



**KA 120
FOR CONOFLAT**

- Fitting height of only 83mm
- Drainage capacity: 0,85 l/s (measured to DIN EN 274)
- Total height of only 107mm



**KA 125
FOR SUPERPLAN PLUS**

- Fitting height of only 83mm
- Drainage capacity: 0,85 l/s (measured to DIN EN 274)
- Total height of only 109mm



**KA 120 VERTICAL
FOR CONOFLAT**

- Fitting height of only 83mm
- Drainage capacity: 1,4 l/s (measured to DIN EN 274)
- Total height vertical (with floor-level waste fitting) of only 49 mm



**KA 125 VERTICAL
FOR SUPERPLAN PLUS**

- Fitting height of only 83mm
- Drainage capacity: 1,4 l/s (measured to DIN EN 274)
- Total height vertical (with floor-level waste fitting) of only 49 mm





**KA 120 FLAT
FOR CONOFLAT**

- Fitting height of only 63mm
- Total height of only 87mm
- Designed specifically for low total heights
- an asset in renovations
- for universal and flexible use
- 30 mm water seal height



**KA 125 FLAT
FOR SUPERPLAN PLUS**

- Fitting height of only 63mm
- Total height of only 89mm
- Designed specifically for low total heights
- an asset in renovations
- for universal and flexible use
- 30 mm water seal height



FLEXIBLE BATHROOM DESIGN

THE RIGHT SHOWER SOLUTION FOR ALMOST ANY ROOM SITUATION

Deciding on a shower surface made by KALDEWEI keeps you on the safe side. A wide range of sizes, different designs, surface finishes and technical solutions leave

very little to be desired. Various ranges, surface finishes, colours and sizes combine to result in more than 50,000 exciting product versions.

DESIGN

The visual highlight of the elegant design is the narrow waste channel with a high-end designer cover that fits seamlessly into the shower surface's overall minimalist look. Like all KALDEWEI bathroom solutions, NEXSYS is made of superior steel enamel so it will retain its exquisite look for decades.




KALDEWEI NEXSYS is a real shower surface revolution. The 4-in-1 system which is already pre-assembled at the factory consists of a waste channel, sloping support, sealing and an enamelled shower surface enabling ultra simple and fast installation by professionals.

NEXSYS takes a completely new approach to floor-level showers, perfectly combining two worlds: with one of the main advantage being it's a seamless shower surface made of steel enamel with the design of a tiled shower area with a shower channel. The KALDEWEI NEXSYS opens up a new market segment and rings in the change from shower channel to channel shower.

KALDEWEI PERFECTION

- COORDINATED COLOURS COLLECTION
- KALDEWEI SECURE PLUS
- Easy-clean finish

SECURE⁺



NEXSYS: from 80 x 80 cm to 90 x 170 cm



DESIGN

With XETIS, KALDEWEI is once again setting new standards in modern bathroom architecture. The new enamelled shower surface with its integrated wall outlet blends perfectly with the bathroom floor to provide new aesthetic scope for stylish design. There is no waste cover to interrupt the homogenous shower surface made of KALDEWEI steel enamel.



DESIGN PLUS

KALDEWEI PROFESSIONAL

- XETIS installation set 1
with designer cover for tiling
- XETIS installation set 2
with polished chrome designer cover
- XETIS installation set 3
with polished chrome designer cover with collar


KALDEWEI PERFECTION

- COORDINATED COLOURS COLLECTION
- KALDEWEI SECURE PLUS
- Anti-slip
- Full anti-slip
- Easy-clean finish

SECURE⁺



XETIS: from 90 x 90 cm to 100 x 180 cm



DESIGN

the CONOFLAT has an extremely flat design without any edges to trip over. Exquisitely set in a concentric arrangement, its enamelled waste cover blends seamlessly with the floor-level surface. For new and elegant aesthetics, unlimited freedom of movement and optimal comfort when standing. With a consistent design concept, the shower surface combines perfectly with any product in the CONO range.



- Floor-level shower
- No visible inner contour
- Wide range of sizes
- Enamelled and flush waste cover for maximum comfort underfoot and stability


KALDEWEI PROFESSIONAL

- Waste fitting KA 120 with enamelled waste cover
- Waste fitting KA 120 vertical with enamelled waste cover
- Waste fitting KA120 flat with enamelled waste cover

KALDEWEI PERFECTION

- COORDINATED COLOURS COLLECTION
- KALDEWEI SECURE PLUS
- Anti-slip
- Full anti-slip
- Decorative pattern
- Easy-clean finish

SECURE⁺



CONOFLAT: from 80 x 80cm to 100 x 180cm

SUPERPLAN PLUS

AVANTGARDE ♦♦♦

44/45 **FLEXIBLE**

DESIGN

Revolutionising purism, the enamelled flush waste cover blends in harmoniously with the overall design of the SUPERPLAN PLUS emphasising the purist nature of this special enamelled shower surface.



- Floor-level shower
- Distinctive design with large, enamelled cover
- Waste cover positioned at the side for generous standing space
- Enamelled and flush waste cover for maximum comfort underfoot and stability


KALDEWEI PROFESSIONAL

- Waste fitting KA 125 with enamelled waste cover
- Waste fitting KA 125 vertical with enamelled waste cover
- Waste fitting KA125 flat with enamelled waste cover

KALDEWEI PERFECTION

- COORDINATED COLOURS COLLECTION
- KALDEWEI SECURE PLUS
- Anti-slip
- Full anti-slip
- Anti-slip decor
- Decorative pattern
- Easy-clean finish

SECURE⁺



SUPERPLAN PLUS: from 80 x 80cm to 150 x 150cm

DESIGN

The classic among floor-level showers. this enamelled shower surface is extremely shallow, making it ideal for installation at floor level. the elegant design turns your daily shower routine into an exclusive experience. With a wide range of sizes – from 75 x 80cm to 100 x 180cm – to choose from, the SUPERPLAN shower surface easily fits into almost any room situation.

- Floor-level shower
- Wide range of sizes, also in XXL versions
- Waste cover positioned at the side for generous standing space
- Chrome waste cover (alternatively in the shades of the COORDINATED COLOURS COLLECTION)




KALDEWEI PROFESSIONAL

- Waste fitting KA 90
- Waste fitting KA 90 extra flat
- Waste fitting KA 90 ultra flat
- Waste fitting KA 90 vertical

KALDEWEI PERFECTION

- COORDINATED COLOURS COLLECTION
- KALDEWEI SECURE PLUS
- Anti-slip
- Full anti-slip
- Anti-slip decor
- Decorative pattern
- Easy-clean finish

SECURE⁺



SUPERPLAN: from 75 x 80cm to 100 x 180cm

DESIGN

Made of superior KALDEWEI steel enamel using state-of-the-art technology the shower creates a unique feelgood atmosphere in the bathroom. Its geometric shape with square radii follows modern lines. Round details and the slight sloping of the shower surface stand in striking contrast. Its sensuous design flows harmoniously into a round waste cover positioned in the centre.

- Floor-level shower
- No visible inner contour
- Wide range of sizes
- Flush-fit central waste cover
- Chrome waste cover (alternatively in the shades of the COORDINATED COLOURS COLLECTION)




KALDEWEI PROFESSIONAL

- Waste fitting KA 90
- Waste fitting KA 90 extra flat
- Waste fitting KA 90 ultra flat
- Waste fitting KA 90 vertical

KALDEWEI PERFECTION

- Coordinated Colours Collection
- KALDEWEI SECURE PLUS
- Anti-slip
- Full anti-slip
- Decorative pattern
- Easy-clean finish

SECURE⁺



SCONA*: from 75 x 80 cm to 100 x 180 cm



DESIGN

The new way of entering the world of floor-level shower surfaces is called CAYONOPLAN. Thanks to 20 different dimensions, its laterally-positioned waste outlet and the ultra flat tray support for the easiest possible assembly, the CAYONOPLAN is the ideal solution. With a rim height of 32 mm and/or 40 mm for formats with side lengths of over 120 cm, it can be perfectly installed on top of tiles, although floor-level installation is also possible. As the Perfect Match for the CAYONO bathtub and the PURO washbasin, the CAYONOPLAN rounds off bathroom design.



KALDEWEI PROFESSIONAL

- Waste fitting KA 90
- Waste fitting KA 90 extra flat
- Waste fitting KA 90 ultra flat
- Waste fitting KA 90 vertical

KALDEWEI PERFECTION

- COORDINATED COLOURS COLLECTION
- KALDEWEI SECURE PLUS
- Anti-slip
- Full anti-slip
- Easy-clean finish

SECURE⁺




CAYONOPLAN: from 75 x 80 cm to 100 x 170 cm

AS UNIQUE AS OUR CUSTOMERS:
OUR COLOUR OPTIONS.

The collection of matt colours underlines the special character of our shower surfaces, setting new standards in sensory awareness and quality. In keeping with the current trends in tiling, the colours of the flush-fit showers in the COORDINATED COLOURS COLLECTION are perfectly coordinated to the tile colours available in the shops.

COORDINATED COLOURS COLLECTION



Available in matching colours: Covers for waste fitting KA 90 are available in matching colours / Alternatively, chrome cover



powder-coated alpine white polished gold brushed rose gold brushed stainless steel polished stainless steel


Covers for bathroom design (NEXSYS) available in different colours

The perfect bathroom means different things to different people. Our colour palette therefore offers great freedom of design. This allows you to design the bathroom based entirely on your customer's ideas. Creating for them a place of pure comfort and wellbeing.

ALPINE WHITE



SANITARY COLOURS



PRODUCT CONFIGURATOR

Customise a bathtub, shower surface or washbasin to meet your own requirements and select from different models, sizes, colours and special features.

Plan and create your personal bathroom solution with KALDEWEI Digital Services at www.kaldewei.com.

BEST CHOICE FOR YOUR CUSTOMERS: KALDEWEI PERFECTION.

SLIP RESISTANT: KALDEWEI SECURE PLUS*

KALDEWEI offers diversity that extends to the choice of anti-slip finishes – delivering ideal properties to every single customer. Be it anti-slip, full anti-slip or KALDEWEI

SECURE PLUS, each finish is permanently fired into the shower surface for optimised safety underfoot.



The KALDEWEI sECurE PLus enamel, which covers the entire surface of the product, is virtually invisible, but slip-resistant nonetheless. KALDEWEI SECURE PLUS therefore meets various anti-slip standards including Quality Class B according to DIN 51097 and Quality Class R 10 according to DIN 51130. The surface itself has a subtle feel to it and comes in the refined look of the COORDINATED COLOURS COLLECTION.



SECURE⁺

* Secure Plus for shower surfaces in the Avantgarde range without extra charge

CLEAN: KALDEWEI EASY-CLEAN FINISH

With the optional easy-clean finish designed by KALDEWEI, the water simply rolls off the shower surface taking virtually all dirt and lime particles with it. Even

dried-on water spots and lime deposits can be easily removed. And because you only need a soft, wet cloth instead of aggressive cleaners, the easy-clean finish is a clean affair for the environment, too.



Easy-clean finish is a surface finish that is permanently fired into the KALDEWEI steel enamel. It is characterised by unique durability and long life. Its non-stick properties are guaranteed to remain virtually intact for 30 years even when wiped once or twice a day. Easy-clean finish is available for all KALDEWEI shower surfaces.

SAFE: ANTI-SLIP/FULL ANTI-SLIP


Anti-slip and full anti-slip ensure maximum safety when entering the shower. the anti-slip finish is permanently

fired into the KalDeWei steel enamel. Both finishes additionally meet barrier-free and anti-slip standards.


The Rhineland TÜV organisation (german Technical Inspection association) has certified the KALDEWEI anti-slip and full anti-slip systems as having anti-slip properties compliant with Quality Class B for barefoot wet areas (DIN 51097) and Quality Class R 10 for anti-slip characteristics in work spaces and working areas with an increased slip risk (DIN 51130).



SUPERPLAN with anti-slip



CONOFLAT with full anti-slip



THERE'S NOTHING LIKE KALDEWEI

Enamelled shower surfaces by KALDEWEI add individuality and elegance to your bathroom. They also stand for quality that lasts and timeless value. It is the unique qualities of KALDEWEI steel enamel that combine to make KALDEWEI shower surfaces exceptionally robust

and supremely hygienic. Perfectly matched components further enhance the synergy of a system that will require no compromise in their installation. KALDEWEI shower surfaces vouch for German quality that is recognised and installed the world over.

OUR STRENGTH: KALDEWEI STEEL ENAMEL.

A UNIQUE MATERIAL

WITH A 30 YEAR GUARANTEE*.

The perfect material for perfect design has a name: KALDEWEI steel enamel. steel and glass – two entirely authentic and natural materials, used for centuries, and each with its own inherent material properties.

Steel signifies strength, toughness, robustness and optimum ductility. glass is highly resistant to chemical or thermal stress and has an excellent appearance. KALDEWEI steel enamel combines robust steel and


tough glass to form an inseparable bond harnessing the strengths of each material in perfect symbiosis. As a pioneer consistently pushing the boundaries to make the good even better, KALDEWEI has been steadily developing, refining and optimising the special formula and manufacturing processes of KALDEWEI steel enamel for almost a century now. KALDEWEI steel enamel guarantees lasting quality that remains visible, tangible and treasured day after day.

**HEAT RESISTANT**

Burning and smouldering objects such as cigarettes or candles do not leave marks on the surface.

**SCRATCH AND IMPACT RESISTANT**

KALDEWEI steel enamel is much harder than acrylic and highly resistant to mechanical stress.

**UV RESISTANT**

Lightfast, resistant to uv light and does not fade: KALDEWEI steel enamel ensures that shower surfaces look as good as new even after 30 years.

**SUSTAINABLE**

KALDEWEI manufactures its shower surfaces using only natural materials that can be fully recycled.

TYPICAL KALDEWEI STEEL ENAMEL:
EXCELLENT HYGIENE WITH MINIMUM EFFORT.

A bathroom should be a place where people thrive – not bacteria. Constantly changing temperatures and humidity levels in the bathroom create an environment with critical hygiene requirements that frequently offers the ideal breeding ground for microorganisms. KALDEWEI

steel enamel prevents even microscopically tiny scratches where bacteria can settle. All it takes is a damp cloth to clean the surface for exceptional hygiene with minimum effort. General dirt particles and limescale are easily washed away when taking a shower.



Grout in the tiled area
rough, porous

REM image of a cement joint



KALDEWEI steel enamel
closed, pore deep


REM image of KALDEWEI steel enamel



EASY TO CLEAN AND HYGIENIC
Without even the tiniest scratches, bacteria have nowhere to settle. simply wipe with a damp cloth.



CHEMICAL RESISTANT
Perfume, bath additives or common house hold detergents will not harm the KALDEWEI steel enamel.



DIMENSIONALLY STABLE
KALDEWEI baths and shower surfaces hardly expand at all in temperature fluctuations, thereby reducing the risk of cracked joints or structural damage through moisture penetration.

EXCELLENT MATERIAL
IS THE BEST GUARANTEE.

Seamless surfaces look appealing, but are also superior in structural aspects. Whereas tiled shower floors were still considered stylish up until a few years ago, today's aesthetic and innovative product solutions have come to set entirely new standards. Produced with

state-of-the-art technology using high-quality materials, enamelled shower surfaces clearly outperform tiles in wet areas. An objective comparison that goes into detail clearly shows the differences.

	KALDEWEI STEEL ENAMEL	TILES
INSTALLATION	QUICK & EASY • Perfectly matched systems	• Complex tiling requires thorough sealing and drainage slope
FITTING HEIGHT	LOW • Ultraflat shower surfaces and waste fittings	• Low heights may disregard tiling and slope
LOOK	VERSATILE • More than 50,000 product versions	• Availability of many tile ranges
MATERIAL PROPERTIES	TOUGH AND SEAMLESS • Highly robust and joint-free surface	• Natural stone has a rough surface • Cement joints interrupt the tiled surface • Risk of cracked joints
HYGIENE	EASY-TO-CLEAN & HYGIENIC • No germs collect on glass-hard enamel surface • Seamless surface is easy to clean	• Dirt and bacteria settle easily in joints resulting in discoloration and mould • Regular thorough cleaning requires aggressive detergents that can damage the cement joints in the long run
STRUCTURAL SAFETY	SECURE & CERTIFIED • Protected against damage from moisture penetration • Meets relevant standards (anti-slip/sound insulation) • 30 year guarantee	• Complex and cost-intensive sealing • Risk of cracked joints • Different guarantees

Often unhygienic:
Grouted shower surface





GRAN HOTEL MANZANA KEMPINSKI LA HABANA *****
Cuba



GRAND HYATT DUBAI *****
United Arab Emirates



V-TOWER
Czechia

MADE IN GERMANY. FITTED ACROSS THE WORLD.

KALDEWEI design products appeal where superior quality is valued. Small wonder then that you will find our products in excellent grand hotels, upmarket private residences and even exclusive cruise ship suites – anywhere around the globe. As a worldwide partner, we meet even the most ambitious requests of the world's leading architects and clients. From the planning to the finished project: bathroom solutions from KALDEWEI appeal with innovative ideas and exquisite

designs. But that's not all: because of its superior properties KALDEWEI steel enamel scores equally at global level – especially in places such as care facilities. The reason being, our unique material guarantees absolute hygiene. Even the smallest dirt particles are easily wiped away with just a damp cloth. We set the bar high with standards based primarily on one aspect: our customers and their ideas – wherever they are in the world.



WESTIN HAMBURG *****
Germany

NEXSYS

64/65 **SIMPLY INGENIOUS**





NEXSYS
SYSTEM ⓘ

Model-No.	Dimensions (cm)
2610	80 x 80
2611	80 x 90
2612	90 x 90
2613	80 x 100

Model-No.	Dimensions (cm)
2614	90 x 100
2615	100 x 100
2616	90 x 110
2617	80 x 120
2618	90 x 120
2619	100 x 120
2620	120 x 120
2621	90 x 130
2622	80 x 140


Model-No.	Dimensions (cm)
2623	90 x 140
2624	100 x 140
2625	80 x 160
2626	90 x 160
2627	100 x 160
2628	75 x 170
2629	90 x 170



XETIS
AVANTGARDE ◆◆◆

Modell-Nr.	Maße (cm)
885	90 x 90
886	100 x 100
887	80 x 120
888	90 x 120
889	100 x 120
890	120 x 120
891	80 x 140

Modell-Nr.	Maße (cm)
892	90 x 140
893	100 x 140
894	90 x 170
895	100 x 170
896	90 x 180
897	100 x 180



CONOFLAT
AVANTGARDE ◆◆◆

Model-No.	Dimensions (cm)
852	80 x 80
853	75 x 90
780	80 x 90
783	90 x 90
781	80 x 100
784	90 x 100
786	100 x 100
787	80 x 110

Model-No.	Dimensions (cm)
788	90 x 110
854	100 x 110
782	80 x 120
785	90 x 120
789	100 x 120
790	120 x 120
791	80 x 130
792	90 x 130
793	100 x 130
794	80 x 140
795	90 x 140
796	100 x 140
855	80 x 150

Model-No.	Dimensions (cm)
856	90 x 150
857	100 x 150
858	75 x 160
859	80 x 160
860	90 x 160
861	100 x 160
862	75 x 170
863	90 x 170
864	100 x 170
865	80 x 180
866	90 x 180
867	100 x 180




SUPERPLAN/XXL
AMBIENTE ◆◆◆

Model-No.	Dimensions (cm)
385	75 x 80
386	80 x 80
400	70 x 90
387	75 x 90
388	80 x 90
390	90 x 90
402	75 x 100
398	80 x 100
404	90 x 100
391	100 x 100
405	90 x 110

Model-No.	Dimensions (cm)
401	70 x 120
403	75 x 120
389	80 x 120
406	90 x 120
407	100 x 120
399	120 x 120
438	90 x 130
408	70 x 140
410	75 x 140
446	80 x 140
429	90 x 140
412	100 x 140
433	70 x 150
435	75 x 150
447	80 x 150
439	90 x 150

Model-No.	Dimensions (cm)
442	100 x 150
431	70 x 160
436	75 x 160
448	80 x 160
440	90 x 160
443	100 x 160
409	70 x 170
411	75 x 170
456	80 x 170
430	90 x 170
444	100 x 170
437	80 x 180
441	90 x 180
445	100 x 180



SCONA*
AMBIENTE ◆◆◆

Model-No.	Dimensions (cm)
908	75 x 80
911	80 x 80
940	70 x 90
912	75 x 90
941	80 x 90
913	90 x 90
942	75 x 100
914	80 x 100
915	90 x 100
916	100 x 100
943	80 x 110
963	90 x 110

Model-No.	Dimensions (cm)
964	100 x 110
965	70 x 120
966	75 x 120
917	80 x 120
918	90 x 120
967	100 x 120
968	120 x 120
969	80 x 130
970	90 x 130
972	100 x 130
974	70 x 140
975	75 x 140
976	80 x 140
919	90 x 140
977	100 x 140
978	70 x 150
979	75 x 150

Model-No.	Dimensions (cm)
982	80 x 150
983	90 x 150
984	100 x 150
985	70 x 160
986	75 x 160
987	80 x 160
988	90 x 160
989	100 x 160
991	70 x 170
993	75 x 170
994	90 x 170
995	100 x 170
996	80 x 180
997	90 x 180
998	100 x 180

*In Switzerland only available from selected dealers



SUPERPLAN PLUS
AVANTGARDE ◆◆◆

Model-No.	Dimensions (cm)
469	80 x 80
475	90 x 90
476	75 x 100
477	80 x 100
478	90 x 100
479	100 x 100
480	90 x 110

Model-No.	Dimensions (cm)
481	70 x 120
482	75 x 120
483	80 x 120
484	90 x 120
485	100 x 120
486	120 x 120
494	150 x 150



CAYONOPLAN
ADVANTAGE ◆◆◆

Model-No.	Dimensions (cm)
2251	80 x 80
2253	75 x 90
2254	90 x 90
2255	75 x 100

Model-No.	Dimensions (cm)
2256	80 x 100
2257	90 x 100
2258	100 x 100
2259	75 x 110
2260	70 x 120
2261	75 x 120
2262	80 x 120
2263	90 x 120
2264	80 x 130
2266	80 x 140

Model-No.	Dimensions (cm)
2267	90 x 140
2270	75 x 150
2271	80 x 150
2272	90 x 150
2275	75 x 160
2276	80 x 160
2278	70 x 170
2279	75 x 170

KALDEWEI

Franz Kaldewei GmbH & Co. KG
Beckumer Straße 33–35
59229 Ahlen
GERMANY
Tel: +49 2382 785 0
Fax: +49 2382 785 200
info@kaldewei.com
kaldewei.com